


FLEECER MOUNTAIN WILDLIFE MANAGEMENT AREA

McGUINNESS FENCE

near BUTTE, MT

FWP # 7135307


PROJECT LOCATION



Location Map

No Scale

PROJECT LOCATION



Vicinity Map

No Scale

MONTANA FISH, WILDLIFE AND PARKS DESIGN AND CONSTRUCTION BUREAU

MAILING ADDRESS:
PO BOX 200701
HELENA, MT 59620-0701
TEL 406.841.4000
FAX 406.841.4004

PHYSICAL ADDRESS:
1522 9th AVENUE
HELENA, MT 59601

fwp.mt.gov/Doing Business/Design&Construction

DRAWING INDEX

SHEET 1 : COVER
SHEET 2 : OVERALL SITE MAP
SHEET 3 : FOUR WIRE FENCE DETAILS



J. Kevin McDonnell	7.2016				
DRAWN BY:	DATE:	APPROVED BY:	DATE:	APPROVED BY:	DATE:
CHECKED BY:	DATE:	APPROVED BY:	DATE:	APPROVED BY:	DATE:




**Montana Fish,
Wildlife & Parks**

107

COVER
McGUINNESS FENCE near BUTTE, MT

SHEET: 1
of 3


PROJECT LOCATION



VICINTY MAP

PROJECT NOTES

1. FENCE LOCATIONS WILL BE STAKED IN THE FIELD WHERE NECESSARY. IF NOT STAKED, NEW FENCE LOCATIONS SHALL BE LOCATED ON THE EXISTING FENCELINE
2. MOTORIZED ACCESS WILL BE ALLOWED ALONG DESIGNATED ROUTES. THE CONTRACTOR WILL BE REQUIRED TO STAY ON DESIGNATED ACCESS ROUTES, AND SUSPEND TRAVEL ON THOSE ROUTES IF THERE IS SUFFICIENT MOISTURE TO CAUSE RUTTING.
3. REMOVE DEAD FALL TIMBER FROM FENCELINE AS SPECIFIED.
4. FALL ALL DEAD TIMBER AWAY FROM FENCE LINE TO A DISTANCE EQUAL TO THE HEIGHT OF DEAD TIMBER. LOP TOPS AND LIMBS AND SCATTER SLASH. AVOID PILING FELLED TIMBER OVER DEADFALL.
5. SALVAGED FENCING MATERIAL SHALL BECOME THE PROPERTY OF THE CONTRACTOR AND DISPOSED OF IN A SAFE AND LEGAL MANNER.



FENCE LEGEND

- FOUR WIRE FENCE
- FOUR WIRE GATE


J. Kevin McDonnell	7.2016				
DRAWN BY:	DATE:	REVISED BY:	DATE:	APPROVED BY:	DATE:
CHECKED BY:	DATE:	APPROVED BY:	DATE:	APPROVED BY:	DATE:




**Montana Fish,
Wildlife & Parks**

SITE MAP
McGUINNESS FENCE, near BUTTE, MT


SHEET: 2
of 3




DOUBLE PANEL




FIVE POST CORNER




SINGLE PANEL



THREE POST CORNER



WIRE GATE



FOUR WIRE FENCE

TOP WIRE SHALL BE SMOOOTH (BARBLESS)
 BOTTOM THREE WIRES SHALL BE BARBED